


Common barberry (*Berberis vulgaris*)



- Medium-sized, dense shrub with spiny, arching branches and yellow inner bark
- Habitats it invades:
 - Forests
 - Grasslands
 - Roadsides
- Status
 - Wisconsin: Prohibited
 - Regulated in: IN, OH, MI, MN



© Leslie J. Mehrhoff, University of Connecticut, Bugwood.org





Common barberry (*Berberis vulgaris*)

Leaves alternate, simple

Anne Pearce, WIFDN



- Up to 2.5" long, held in tight clusters above the stem spines
- Leaf margins toothed; leaves appearing whorled
- Inner bark bright yellow



5448867

© Leslie J. Mehrhoff, University of Connecticut, Bugwood.org



5448856

© Leslie J. Mehrhoff, University of Connecticut, Bugwood.org



Common barberry (*Berberis vulgaris*)

Flower/fruit



5448853

© Richard Gardner, University of Connecticut, Bugwood.org

- Flowers are yellow, bowl-shaped, with 6 petals; May-June
- Flowers are borne hanging in elongated clusters from the leaf clusters
- Fruit is a small red berry.



© Richard Gardner, University of Connecticut, Bugwood.org

5448895



Barberry look alike

Japanese barberry (*Berberis thunbergii*) and common barberry (*Berberis vulgaris*) may be confused with **native** gooseberries (*Ribes* spp.), especially in the winter, since gooseberries are also shrubs with spines along their stems.

During the growing season, **leaf size and shape** make it easy to differentiate these species. Gooseberries have 3+ lobes per leaf and barberries have unlobed leaves.



Species	Inner bark	Leaves	Flowers
Common barberry (<i>Berberis vulgaris</i>) I	Bright yellow	Oval-shaped, but wider near the tip, toothed along the margins	Cream-yellow, 6 petals, bowl-shaped
Japanese barberry (<i>Berberis thunbergii</i>) I	Bright yellow	Oval-shaped, but wider near the tip, margins entire	Cream-yellow, 6 petals, bowl-shaped
Gooseberries (<i>Ribes</i> spp.) N	Brown/tan	Fan-shaped, palmately-lobed , the margins with small teeth	Whitish or yellowish, 5 petals , tubular