


Policeman's helmet (*Impatiens glandulifera*)



Renz Weed Science
COLLEGE OF AGRICULTURAL & LIFE SCIENCES
UNIVERSITY OF WISCONSIN-MADISON

- Large annual with watery, hollow stems, tropical-looking flowers
- Habitats it invades:
 - Waterways
 - Roadsides
- Status
 - Wisconsin: Prohibited
 - Not regulated in neighboring states



© Caleb Slemmons, National Ecological Observatory Network, Bugwood.org



Policeman's helmet (*Impatiens glandulifera*)

Leaves opposite, simple



- 6" long, lance- or oval-shaped
- Leaf margin toothed
- Leaf tip tapered to a long point
- All parts of the plant lacking hairs
- Leaves sometimes whorled





Policeman's helmet (*Impatiens glandulifera*)

Flower/fruit



- Flowers pink to purplish
- Flowers borne in branched clusters; June-Oct.
- Fruit is a capsule that explodes open



Policeman's helmet look alike

The invasive *Impatiens*, Kashmir balsam (*Impatiens balfourii*) and policeman's helmet (*I. glandulifera*), may be confused with the **native** spotted touch-me-not (*I. capensis*) and pale touch-me not (*I. pallida*).



Nisa Karimi, WI DNR

I. balfourii



Barbara Tokarska-Guzik, Bugwood.org

I. glandulifera



Katy Chayka, MinnesotaWildflowers.info

I. capensis



Katy Chayka, MinnesotaWildflowers.info

I. pallida

Species	Branching	Leaves	Flowers
Kashmir balsam (<i>Impatiens balfourii</i>) (I)	Alternate	Oval-shaped leaves with long tip, serrated edges	Long stalks of 4-8 pinkish-purple flowers ; petals fused to form hood and twin lips; large, uncurved spur
Policeman's helmet (<i>Impatiens glandulifera</i>) (I)	Opposite or whorled	Lance-oval shaped, toothed, 6" leaves with pointed tip	White to pink to purple flowers ; small spur bends down
Spotted touch-me-not (<i>Impatiens capensis</i>) (N)	Alternate	Oval to egg-shaped; hairless; widely spaced teeth; up to 3" long, 1 1/2" wide; stalks up to 1" long	Orange , sometimes with reddish spots; long spur curves under the tube ; groups of 1-3
Pale touch-me-not (<i>Impatiens pallida</i>) (N)	Alternate	Oval to egg-shaped; hairless; toothed; up to 5" long, 3" wide; stalks up to 2" long	Yellow , sometimes with reddish spots; narrow spur in back bends down ; groups of 1-3