Grasses + Grass-like Species



SUMMARY

Species in this group are grasses or grass-like, with long, slender leaf blades. Species can be differentiated based on overall plant size, leaf size and shape, flowerhead characteristics, and habitat.

LOOK ALIKES

Many of these species have look alikes that are addressed in species-specific profiles.

Scientific Name	Common Name	NR 40
Glyceria maxima	Reed manna grass	P/R
Leymus arenarius	Lyme grass / sand ryegrass	P/R
Microstegium vimineum	Japanese stiltgrass	Р
Oplismensus hirtellus spp. undulatifolius	Wavy leaf basket grass	Р
Phalaris arundinacea	Reed canary grass	NR
Phragmites australis	Phragmites / common reed	
Sorghum halepense	Johsongrass	Р
Taeniatherum caput-medusae	Medusahead	Р
Typha angustifolia	Narrow-leaf cattail	R
Typha x glauca	Hybrid cattail	





Grasses + Grass-like Species



Scientific Name	Common Name	Stem	Leaves	Flowers
Glyceria maxima	Reed manna grass	Up to 8' tall, reddish tint on lower stem	Protrude at angle from white, strongly V- shaped base; flat, rough-edged	6-12" panicle; June — Aug.
Leymus arenarius	Lyme grass / sand ryegrass	Smooth, round, stout; 2-4' tall	Broad, rigid, straight, blue-green leaves	Dense spike with 3 flowered spikelets
Microstegium vimineum	Japanese stiltgrass	1-3' tall; hairless, branched	2-3" long; pale green with silvery, off-center stripe down midvein	1-3" flower spikes; mid-September
Oplismensus hirtellus spp. undulatifolius	Wavy leaf basket grass	Covered in scattered hairs; 8-12" tall	Wavy leaf blades with horizontal ripples across their width	Small, feathery, wispy; mid-August
Phalaris arundinacea	Reed canary grass	2-5' tall, smooth, unbranched	Hairless but rough-textured; ligule translucent, up to 1/3" long	2-16" long, pyramidal branching cluster; late spring to early summer
Phragmites australis	Phragmites / common reed	3-15' tall, ribbed, rough-textured; lower stems dull green to tan	Blue-green, flat, hairless; ligule with fringe of short hairs; nodes green to purple with ring of fine hairs along upper edge	Feathery branching clusters, 6-14" long; Sept. – Nov.
Sorghum halepense	Johsongrass	Up to 12' tall, coarse textured	2' long, distinct white midribs	spreading, purplish panicle, 4-24" tall
Taeniatherum caput-medusae	Medusahead	6-20" tall, 1+ stems from base of plant	Few leaves; somewhat rolled, less than 1/8" wide	Single short spike-type seed head in late spring
Typha angustifolia	Narrow-leaf cattail	5-10' tall, often with submerged base	Erect, linear, flat; 1/8 – ½" wide; ~15 leaves per shoot	Spike with upper section of yellow, male flowers and lower, brown, sausage-shaped section of female flowers separated by ½ - 4"; late spring
Typha x glauca	Hybrid cattail	5-10' tall; often with submerged base	Erect, linear, flat; 1/3 – ¾" wide; ~15 leaves per shoot	Spike with upper section of yellow male flowers and lower brown/green sausage-shaped section of female flowers separated by 0-2"; late spring