Mustard Family + Similar Species



SUMMARY

Members of the mustard family (*Brassicaceae*) are herbaceous biennials and perennials with alternate stem leaves and basal rosettes of leaves. Flowers are four-parted and arranged in terminal clusters. Fruits are two-parted with rows of seeds divided by a thin septum.

LOOK ALIKES

- While four-parted flowers and two-parted fruits are characteristics of the mustard family, other species share these characteristics, including greater celandine (*Chelidonium majus*), a member of the poppy family included in this group of invasive plants.
- Individual species may have look-alikes, which can be differentiated based on characteristics like leaf shape and size, bloom time, and flower color.



Scientific Name	ific Name Common Name	
Alliaria petiolata	Garlic mustard	R
Bunias orientalis Hill mustard		P/R
Cardamine impatiens	Narrow leaf bittercress	Р
Chelidonium majus *	Greater celandine	R
Hesperis matronalis Dame's rocket		R
Lepidium latifolium Perennial pepperweed		Р

^{*} Not in mustard family, but shares many characteristics

Mustard Family + Similar Species



Scientific Name	Common Name	Leaves	Flowers	Fruit/Seeds
Alliaria petiolata	Garlic mustard	Kidney-shaped basal leaves, more triangular up the stem; scalloped edges; smell like garlic	Cluster of small (1/3") white flowers; May - June	Slender seed pods, up to 2" long
Bunias orientalis	Hill mustard	Highly lobed, lance-shaped leaves similar to dandelions; smaller up stem; sometimes warty	Dense clusters of yellow, fragrant 2" flowers; May - June	Oval-shaped pods covered with warty bumps
Cardamine impatiens	Narrow leaf bittercress	Basal leaves compound with 3-11 lobed leaflets; stem leaves compound with 13+ lance- shaped leaflets	½" rounded clusters of tiny white to green flowers; May – July	Slender seed pod, up to 1" long
Chelidonium majus	Greater celandine	Compound leaves with 5-9 lobed leaflets with rounded teeth; blue-green to green in color; broken stem exudes yellow to orange sap	Cluster of 3-8 yellow flowers, each about ¾", May – Aug.	Slender seed pod, ¾ - 2" long
Hesperis matronalis	Dame's rocket	Densely hairy toothed leaves, round at base and tapering to pointed tip	Clusters of flowers ¾ - 1", ranging from white to pink to purple; May - July	Slender seed pod up to 4" long
Lepidium latifolium	Perennial pepperweed	Basal leaves up to 12" with serrated edges; stem leaves waxy, gray-green, 1-2" wide	Dense clusters of small, white flowers; late spring	Oval, hairy capsule, <0.1"